	Type	Hits	Search Text	DBs	Time Stamp
1	IS&R	0	("key near4 (generate or generator or generation or generated)").PN.	USPAT; US-PGPUB	2003/05/12 09:58
2	BRS	12029	key near3 (generate or generator or generation or generated)	USPAT; US-PGPUB	2003/05/12 09:59
3	BRS	98	(generate or generator or generation or generated) near4 (local) near4 (key)	USPAT; US-PGPUB *Cosa L. All (AB, MMIC)*	2003/05/12 10:18
4	BRS	21708	(user or client or consumer or customer) near3 (key)	USPAT; US-PGPUB	2003/05/12 10:19
5	BRS	6415	(authoriz$) near4 (code or number)	USPAT; US-PGPUB	2003/05/12 14:11
6	BRS	0	((generate or generator or generation or generated) near4 (local) near4 (key)) same ((user or client or consumer or customer) near3 (key)) same ((authoriz$) near4 (code or number))	USPAT; US-PGPUB	2003/05/12 10:02
7	BRS	1	(((generate or generator or generation or generated) near4 (local) near4 (key)) same ((user or client or consumer or customer) near3 (key))) and ((authoriz$) near4 (code or number))	USPAT; US-PGPUB *Cosa. All (AB, kmic)*	2003/05/12 10:02
8	BRS	17	((generate or generator or generation or generated) near4 (local) near4 (key)) same ((user or client or consumer or customer) near3 (key))	USPAT; US-PGPUB	2003/05/12 10:03
9	BRS	854	(generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)	USPAT; US-PGPUB	2003/05/12 12:05
10	BRS	25641	(user or client or consumer or customer or private or secret) near3 (key)	USPAT; US-PGPUB	2003/05/12 11:33

	Type	Hits	Search Text	DBs	Time Stamp
11	BRS	302	((generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (key))	USPAT; US-PGPUB	2003/05/12 10:20
12	BRS	2	((generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (key))) same ((authoriz$) near4 (code or number))	USPAT; US-PGPUB	2003/05/12 10:22
13	BRS	36	(((generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (key))) and ((authoriz$) near4 (code or number))	USPAT;	2003/05/12 12:02
14	BRS	31018	(user or client or consumer or customer or private or secret) near3 (password or code)	USPAT; US-PGPUB	2003/05/12 12:18
15	BRS	46	((generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)) same ((user or client or consumer or private or secret) near3 (password or code))	USPAT; US-PGPUB	2003/05/12 12:02

(handwritten notes: "Cond. All", "(AD, MU)", "Cond. All", "(AD, Rate)")

05/13/2003, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
16	BRS	289	((generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)) and ((user or client or consumer or customer or private or secret) near3 (password or code))	USPAT; US-PGPUB	2003/05/12 12:03
17	BRS	83	(((generate or generator or generation or generated) near4 (local or decrypt$ or descrambl$) near4 (key)) and ((user or client or consumer or customer or private or secret) near3 (password or code))) and ((authoriz$) near4 (code or number))	Consid. All (AB Roll) USPAT; US-PGPUB	2003/05/12 12:03
18	BRS	15517	(generate or generator or generation or generated or generating) near4 (key)	USPAT; US-PGPUB	2003/05/12 12:06
19	BRS	526	((generate or generator or generation or generated or generating) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (password or code))	USPAT; US-PGPUB	2003/05/12 12:06
20	BRS	15	(((generate or generator or generation or generated or generating) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (password or code))) same ((authoriz$) near4 (code or number))	Consid. All (AB Roll) USPAT; US-PGPUB	2003/05/12 12:06

	Type	Hits	Search Text	DBs	Time Stamp
21	BRS	92	(((generate or generator or generation or generated or generating) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (password or code))) and ((authoriz$) near4 (code or number))	USPAT; US-PGPUB	2003/05/12 12:18
22	BRS	77	(((generate or generator or generation or generated or generating) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (password or code))) and ((authoriz$) near4 (code or number))) not (((generate or generator or generation or generated or generating) near4 (key)) same ((user or client or consumer or customer or private or secret) near3 (password or code))) same ((authoriz$) near4 (code or number)))	USPAT; US-PGPUB	2003/05/12 13:59
23	IS&R	452	(725/25,27,29,30,31).CCLS.	USPAT; US-PGPUB	2003/05/12 14:00
24	BRS	15112	(generat$ or calculat$ or derive or deriving) near3 (key)	USPAT; US-PGPUB	2003/05/12 14:27
25	BRS	570	((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)	USPAT; US-PGPUB	2003/05/12 14:26

cong. el. Apl (AD, MAC)

	Type	Hits	Search Text	DBs	Time Stamp
26	BRS	(9)	((725/25,27,29,30,31).CCLS.) and (((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling))	*Cons. d. All (AD, wore)* USPAT; US-PGPUB	2003/05/12 14:09
27	BRS	48831	(user or client or consumer or viewer or customer) near3 (key or password or code or passphrase or pin)	USPAT; US-PGPUB	2003/05/12 14:10
28	BRS	(96)	(((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)) same ((user or client or consumer or viewer or customer) near3 (key or password or code or passphrase or pin))	*Cons.d. All (AD, UOOc)* USPAT; US-PGPUB	2003/05/12 14:10
29	BRS	5331	(authoriz$ or approv$) near2 (code or number)	USPAT; US-PGPUB	2003/05/12 14:12
30	BRS	0	((((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)) same ((user or client or consumer or viewer or customer) near3 (key or password or code or passphrase or pin))) same ((authoriz$ or approv$) near2 (code or number))	USPAT; US-PGPUB	2003/05/12 14:12

Type	Hits	Search Text	DBs	Time Stamp
31 BRS	6	(((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling) same ((user or client or consumer or viewer or customer) near3 (key or password or code or passphrase or pin))) and ((authoriz$ or approv$) near2 (code or number))	USPAT; US-PGPUB	2003/05/12 14:12
32 BRS	0	(((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)) same ((authoriz$ or approv$) near2 (code or number))	USPAT; US-PGPUB	2003/05/12 14:27
33 BRS	71	(((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)) and ((authoriz$ or approv$) near2 (code or number))	USPAT; US-PGPUB	2003/05/12 14:27

05/13/2003, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
34	BRS	38	((((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)) and ((authoriz$ or approv$) near2 (code or number))) and (password or passphrase or pin)	USPAT; US-PGPUB	2003/05/13 07:14
35	BRS	56	((((generat$ or calculat$ or derive or deriving) near3 (key)) near4 (descramble or descrambling or decrypt or decrypting or decipher or deciphering or unscramble or unscambling)) and ((authoriz$ or approv$) near2 (code or number))) and (password or passphrase or pin or (private near2 key))	USPAT; US-PGPUB	2003/05/13 07:52
36	BRS	435	((generat$ or calculat$ or derive or deriving or recover or recovered or recovering) near3 (key)) and (authoriz$ near2 (code or number)) and (card)	USPAT; US-PGPUB	2003/05/13 07:56
37	BRS	15027	(generat$ or calculat$ or derive or deriving or recover or recovered or recovering) near3 (key)	USPAT; US-PGPUB	2003/05/13 08:43
38	BRS	12575	authoriz$ near3 (code or number or data or information)	USPAT; US-PGPUB	2003/05/13 07:58
39.	BRS	216	((generat$ or calculat$ or derive or deriving or recover or recovered or recovering) near3 (key)) same (authoriz$ near3 (code or number or data or information))	USPAT; US-PGPUB	2003/05/13 07:58

05/13/2003, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
40	BRS	56791	(user or customer or client or consumer or viewer) near3 (card or key or password or passphrase or code or pin)	USPAT; US-PGPUB	2003/05/13 07:59
41	BRS	52	(((generat$ or calculat$ or derive or deriving or recover or recovered or recovering) near3 (key)) same (authoriz$ near3 (code or number or data or information))') same ((user or customer or client or consumer or viewer) near3 (card or key or password or passphrase or code or pin))	USPAT; US-PGPUB	2003/05/13 08:00
42	BRS	633	(generat$ or calculat$ or derive or deriving or recover or recovered or recovering or regenerat$) near2 (session) near2 (key)	USPAT; US-PGPUB	2003/05/13 08:44
43	BRS	14	((generat$ or calculat$ or derive or deriving or recover or recovered or recovering or regenerat$) near2 (session) near2 (key)) same (authoriz$ near3 (code or number or data or information))	USPAT; US-PGPUB	2003/05/13 08:50
44	BRS	229	((generat$ or calculat$ or derive or deriving or recover or recovered or recovering or regenerat$) near2 (session) near2 (key)) and (authoriz$ near3 (code or number or data or information))	USPAT; US-PGPUB	2003/05/13 08:50

	Type	Hits	Search Text	DBs	Time Stamp
45	BRS	198	((generat$ or calculat$ or derive or deriving or recover or recovered or recovering or regenerat$) near2 (session) near2 (key)) and (authoriz$ near3 (code or number or data or information)) and ((user or customer or client or consumer or viewer) near3 (card or key or password or passphrase or code or pin))	USPAT; US-PGPUB	2003/05/13 08:51
46	IS&R	8	(("4785361") or ("5485577") or ("5473692") or ("5568552") or ("5796840") or ("5805712") or ("5850218") or ("5949877")).PN.	USPAT; US-PGPUB	2003/05/13 10:01
47	IS&R	20	(("5949881") or ("6021201") or ("6028932") or ("6069647") or ("6088450") or ("6105134") or ("6134551") or ("6157719") or ("6185546") or ("6189096") or ("6192131") or ("6199053") or ("6209098") or ("6230194") or ("6230266") or ("6256747") or ("6272538") or ("6292892") or ("6389533") or ("6389537")).PN.	USPAT; US-PGPUB	2003/05/13 10:03
48	IS&R	1	("6069957").PN.	USPAT; US-PGPUB	2003/05/13 11:12